

ANALYTICA CHIMICA ACTA, VOL. 278 (1993)

AUTHOR INDEX

Acree, Jr., W.E., see Tucker, S.A. 269
 Adams, F.C., see Szpunar-Łobińska, J. 99
 Akiyama, S., see Kuroda, N. 275
 Amszi, V.L., see Tucker, S.A. 269
 An, D.-k., see Li, W. 205
 Andreev, V.P.
 — and Khidekel, M.I.
 Mathematical model of flow-injection analysis. First-order chemical reaction in a straight tube 307
 Anticó, E.
 —, Hidalgo, M., Masana, A., Salvadó, V., Havel, J. and Valiente, M.
 Role of SCN⁻ in the liquid-liquid extraction of Pd(II) by Kelex 100 in Toluene from aqueous chloride solutions. The equilibrium approach 91
 Axelsson, B., see Jagner, D. 237
 Baasner, J., see Guo, T. 189
 Baffi, F.
 —, Ianni, M.C., Magi, E. and Ravera, M.
 Comparison of the performance of RP C₁₈ on silica and polymeric supports for the liquid chromatographic separation of metal-amino acid complexes with postcolumn derivatization 83
 Bakker, E.
 —, Lerchi, M., Rosatzin, T., Rusterholz, B. and Simon, W.
 Synthesis and characterization of neutral hydrogen ion-selective chromoionophores for use in bulk optodes 211
 Barek, J., see Fogg, A.G. 41
 Bates, H.C., see Tucker, S.A. 269
 Bieniasz, L.K.
 — and Britz, D.
 Electrochemical kinetic simulations of mixed diffusion/homogeneous reaction problems by the Saul'yev finite difference algorithms 59
 Bowdridge, M.R., see Wentzell, P.D. 293
 Britz, D., see Bieniasz, L.K. 59
 Ceccon, L.
 —, Turello, A., Mocellin, G. and Colugnati, L.
 Liquid desorption of organic solvents from industrial sludges 115
 Ceulemans, M., see Szpunar-Łobińska, J. 99
 Chen, J., see Li, W. 205
 Chi, Q.
 — and Dong, S.
 Flow-injection analysis of glucose at an amperometric glucose sensor based on electrochemical codeposition of palladium and glucose oxidase on a glassy carbon electrode 17
 Clechet, P., see Shul'ga, A.A. 233
 Colugnati, L., see Ceccon, L. 115
 Comtat, M., see Montagné, M. 25
 Corne, S.A.
 —, Fisher, J., Johnson, A.P. and Newell, W.R.
 Cross-peak classification in two-dimensional nuclear magnetic resonance spectra using a two-layer neural network 149
 Cronan, C.S., see Taylor, T.A. 259
 Dempsey, E., see Rohde, E. 5
 Di Raddo, P., see Tucker, S.A. 269
 Dong, S., see Chi, Q. 17
 Durliat, H., see Montagné, M. 25
 Dyker, G., see Tucker, S.A. 269
 El'skaya, A.V., see Shul'ga, A.A. 233
 Emons, H., see Rohde, E. 5
 Ertas, F.N., see Fogg, A.G. 41
 Faridnia, M.H.
 —, Palleschi, G., Lubrano, G.J. and Guilbault, G.G.
 Amperometric biosensor for determination of lactate in sweat 35
 Fetzer, J.C., see Tucker, S.A. 269
 Fisher, J., see Corne, S.A. 149
 Fogg, A.G.
 —, Ertas, F.N., Moreira, J.C. and Barek, J.
 Cathodic stripping voltammetric behaviour of copper complexes of glycylglycyl-L-histidine at a hanging mercury drop electrode. Determination of trace amounts of glycylglycyl-L-histidine 41
 González, I., see Rojas-Hernández, A. 321, 335
 Grimalt, J.O.
 — and Olivé, J.
 Source input elucidation in aquatic systems by factor and principal component analysis of molecular marker data 159
 Guilbault, G.G., see Faridnia, M.H. 35
 Gündüz, N., see Gündüz, T. 243
 Gündüz, T.
 —, Gündüz, N. and Hayvalı, M.
 Titrations in non-aqueous media: potentiometric investigation of the basicity of meso-porphyrins in nitrobenzene solvent 243
 Guo, T.
 — and Baasner, J.
 Determination of mercury in urine by flow-injection cold vapour atomic absorption spectrometry 189

Harvey, R.G., see Tucker, S.A. 269
 Hauser, P.C.
 Trioctyltin chloride as carrier for a chloride-selective electrode in flow-injection potentiometry 227
 Havel, J., see Anticó, E. 91
 Hayvali, M., see Gündüz, T. 243
 Hidalgo, M., see Anticó, E. 91
 Hueber, D.M.
 —, Masamba, W.R.L., Spencer, B.M. and Winefordner, J.D.
 Application of hydride generation to the determination of trace concentrations of arsenic by capacitively coupled microwave plasma 279

Ianni, M.C., see Baffi, F. 83
 Ishibashi, M., see Toyo'oka, T. 71

Jagner, D.
 —, Sahlin, E., Axelsson, B. and Ratana-Ophas, R.
 Rapid method for the determination of copper(II) and lead(II) in tap water using a portable potentiometric stripping analyser 237

Jiang, Z.-L.
 — and Liang, A.-H.
 Catalytic kinetic determination of trace amounts of ascorbic acid with single-sweep oscillopolarography 53

Johnson, A.P., see Corne, S.A. 149

Khidekel, M.I., see Andreev, V.P. 307
 Kościelniak, P.
 Non-linear robust regression procedure for calibration in flame atomic absorption spectrometry 177

Kuroda, N.
 —, Nakashima, K. and Akiyama, S.
 Chemiluminescence method for the determination of adenine after reaction with phenylglyoxal 275

Lee, H., see Tucker, S.A. 269
 Lerchi, M., see Bakker, E. 211
 Levitsky, A., see Scott, D.R. 137
 Li, B.
 —, Sun, X., Wei, G. and Ma, Z.
 Liquid-solid extraction system based on mixed polymers of polyethylene glycol 2000 and Triton X-100 without organic solvents 317

Li, W.
 —, Chen, J. and An, D.-k.
 Discussion on "On-line determination of bromide ion in spent brine" 205

Liang, A.-H., see Jiang, Z.-L. 53
 Łobiński, R., see Szpunar-Łobińska, J. 99
 Lubrano, G.J., see Faridnia, M.H. 35
 Lukaszewski, Z., see Wyrwas, B. 197

Ma, Z., see Li, B. 317
 MacDonald, C., see Wentzell, P.D. 293
 Magi, E., see Baffi, F. 83
 Martelet, C., see Shul'ga, A.A. 233

Masamba, W.R.L., see Hueber, D.M. 279
 Masana, A., see Anticó, E. 91
 Maupas, H., see Shul'ga, A.A. 233
 Minagawa, A.
 —, Sawada, K. and Suzuki, T.
 Determination of bismuth(III) by graphite furnace atomic absorption spectrometry combined with liquid-liquid extraction with trioctylmethylammonium nitrate 287

Mocellin, G., see Ceccon, L. 115
 Montagné, M.
 —, Durliat, H. and Comtat, M.
 Simultaneous use of dehydrogenases and hexacyanoferrate(III) ion in electrochemical biosensors for L-lactate, D-lactate and L-glutamate ions 25

Moreira, J.C., see Fogg, A.G. 41

Nakashima, K., see Kuroda, N. 275
 Newell, W.R., see Corne, S.A. 149

Olivé, J., see Grimalt, J.O. 159

Palleschi, G., see Faridnia, M.H. 35
 Patterson, H.H., see Taylor, T.A. 249, 259
 Paukert, T.
 — and Rubeška, I.
 Effects of fusion charge composition on the determination of platinum group elements using collection into a minimized nickel sulphide button 125

Ramírez, M.T., see Rojas-Hernández, A. 321, 335
 Ratana-Ophas, R., see Jagner, D. 237
 Ravera, M., see Baffi, F. 83
 Rohde, E.
 —, Dempsey, E., Smyth, M.R., Vos, J.G. and Emons, H.
 Development of a flow-through electrochemical detector for glucose based on a glucose oxidase-modified micro-electrode incorporating redox and conducting polymer materials 5

Rojas-Hernández, A.
 —, Ramírez, M.T. and González, I.
 Equilibria among condensed phases and a multi-component solution using the concept of generalized species. Part I. Systems with mixed complexes 321
 —, Ramírez, M.T. and González, I.
 Equilibria among condensed phases and a multi-component solution using the concept of generalized species. Part II. Systems with polynuclear species 335

Rosatzin, T., see Bakker, E. 211
 Rubeška, I., see Paukert, T. 125
 Rusterholz, B., see Bakker, E. 211

Sahlin, E., see Jagner, D. 237
 Salvadó, V., see Anticó, E. 91
 Sawada, K., see Minagawa, A. 287
 Schofield, C.L., see Taylor, T.A. 259
 Scott, D.R.
 —, Levitsky, A. and Stein, S.E.
 Large scale evaluation of a pattern recognition/expert system for mass spectral molecular weight estimation 137

Shul'ga, A.A.
—, Strikha, V.I., Soldatkin, A.P., El'skaya, A.V., Maupas, H., Martelet, C. and Clechet, P.
Removing the influence of buffer concentration on the response of enzyme field effect transistors by using additional membranes 233

Simon, W., see Bakker, E. 211

Smyth, M.R., see Rohde, E. 5

Soldatkin, A.P., see Shul'ga, A.A. 233

Spencer, B.M., see Hueber, D.M. 279

Stein, S.E., see Scott, D.R. 137

Strikha, V.I., see Shul'ga, A.A. 233

Sun, X., see Li, B. 317

Suzuki, T., see Minagawa, A. 287

Szpunar-Łobińska, J.
—, Ceulemans, M., Łobiński, R. and Adams, F.C.
Flow-injection sample preparation for organotin speciation analysis of water by capillary gas chromatography-microwave-induced plasma atomic emission spectrometry 99

Szymanski, A., see Wyrwas, B. 197

Taylor, E.L., see Wentzell, P.D. 293

Taylor, T.A.
— and Patterson, H.H.
Determination of aqueous aluminum with the fluorescent chelating ligand, 2-hydroxy-1-carbazole carboxylate. Part I. A model for speciation and stability constants 249
—, Patterson, H.H., Cronan, C.S. and Schofield, C.L.
Determination of aqueous aluminum with the fluorescent chelating ligand, 2-hydroxy-1-carbazole carboxylate. Part II. Application of ratio fluorescence spectroscopy 259

Terao, T., see Toyo'oka, T. 71

Toyo'oka, T.
—, Ishibashi, M. and Terao, T.
Further studies on the resolution of carboxylic acid enantiomers by liquid chromatography with fluorescence and laser-induced fluorescence detection 71

Tucker, S.A.
—, Bates, H.C., Amszi, V.L., Acree, Jr., W.E., Lee, H., Di Raddo, P., Harvey, R.G., Fetzer, J.C. and Dyker, G.
Spectroscopic properties of polycyclic aromatic compounds. Part II. Fluorescence emission and quenching behavior of select acenaphthylene derivatives in organic nonelectrolyte solvents 269

Turello, A., see Ceccon, L. 115

Valiente, M., see Anticó, E. 91

Vos, J.G., see Rohde, E. 5

Wei, G., see Li, B. 317

Wentzell, P.D.
—, Bowdridge, M.R., Taylor, E.L. and MacDonald, C.
Random walk simulation of flow injection analysis. Evaluation of dispersion profiles 293

Winefordner, J.D., see Hueber, D.M. 279

Wyrwas, B.
—, Szymanski, A. and Lukaszewski, Z.
Tensammetric studies of the separation of surfactants. Part 1. Investigation of sources of error in precipitation of non-ionic surfactants with modified Dragendorff reagent 197